

FIG. 1

FITZPATRICK CLASSIFICATION SYSTEM		
Skin Type	Skin Color	Characteristics
I	White	Always burns, never tans
II	White	Usually burns, tans less than average
III	White	Sometimes mild burn, tans about average
IV	White	Rarely burns, tans more than average
V	Brown	Rarely burns, tans profusely
VI	Black	Never burns, deeply pigmented

FIG. 2

GLOGAU CLASSIFICATION

Damage	Description	Characteristics
Type I (mild)	"No wrinkles"	<i>Early photoaging</i> • <i>mild pigmentary changes</i> • <i>no keratoses</i> • <i>minimal wrinkles</i> <i>Patient age-20's or 30's</i> • <i>minimal or no makeup</i> • <i>minimal acne scarring</i>
Type II (moderate)	"Wrinkles in motion"	<i>Early to moderate photoaging</i> • <i>early senile lentigines visible</i> • <i>keratoses palpable but not visible</i> • <i>parallel smile lines beginning to appear</i> <i>Patient age-late 30's or 40's</i> • <i>some foundation usually worn</i> • <i>mild acne scarring</i>
Type III (advanced)	"Wrinkles at rest"	<i>Advanced photoaging</i> • <i>obvious dyschromia, telangiectasias</i> • <i>visible keratoses</i> • <i>wrinkles present even when not moving</i> <i>Patient age-50's or older</i> • <i>heavier foundation always worn</i> • <i>acne scarring present that makeup does-not cover</i>
Type IV (severe)	"Only wrinkles"	<i>Severe photoaging</i> • <i>yellow-gray skin color</i> • <i>prior skin malignancies</i> • <i>wrinkles throughout, no normal skin</i> <i>Patient age-60's or 70's</i> • <i>makeup cannot be worn-it cakes and cracks</i> • <i>severe acne scarring</i>

FIG. 3

+




FIG. 4B



FIG. 4A

+

Title: Hydroxy-Kojic Acid Skin Peel
Inventor: Margaret M. Ancira
Attorney Docket No.: 766632-0049
Express Mail No.: EV 258727906 US



FIG. 5B



FIG. 5A

+

Title: Hydroxy-Kojic Acid Skin Peel
Inventor: Margaret M. Ancira
Attorney Docket No.: 766632-0049
Express Mail No.: EV 258727906 US



FIG. 5D



FIG. 5C

+